

References.

[Al] J. W. Alexander, *Topological invariants of knots and link*, Trans. Amer. Math. Soc. **30** (1928) 275–306.

[BN1] D. Bar-Natan, *Balloons and Hoops and their Universal Finite Type Invariant, BF Theory, and an Ultimate Alexander Invariant*, $\omega\epsilon\beta$ /KBH, arXiv:1308.1721.

[BN2] D. Bar-Natan, *Polynomial Time Knot Polynomial*, research proposal for the 2017 Killam Fellowship, $\omega\epsilon\beta$ /K17.

[BNG] D. Bar-Natan and S. Garoufalidis, *On the Melvin-Morton-Rozansky conjecture*, Invent. Math. **125** (1996) 103–133.

[BNS] D. Bar-Natan and S. Selmani, *Meta-Monoids, Meta-Bicrossed Products, and the Alexander Polynomial*, J. of Knot Theory and its Ramifications **22-10** (2013), arXiv:1302.5689.

[En] B. Enriquez, *A Cohomological Construction of Quantization Functors of Lie Bialgebras*, Adv. in Math. **197-2** (2005) 430–479, arXiv:math/0212325.

[EK] P. Etingof and D. Kazhdan, *Quantization of Lie Bialgebras, I*, Selecta Mathematica **2** (1996) 1–41, arXiv:q-alg/9506005.

[GST] R. E. Gompf, M. Scharlemann, and A. Thompson, *Fibered Knots and Potential Counterexamples to the Property 2R and Slice-Ribbon Conjectures*, Geom. and Top. **14** (2010) 2305–2347, arXiv:1103.1601.

[Ha] A. Haviv, *Towards a diagrammatic analogue of the Reshetikhin-Turaev link invariants*, Hebrew University PhD thesis, Sep. 2002, arXiv:math.QA/0211031.

[MM] P. M. Melvin and H. R. Morton, *The coloured Jones function*, Commun. Math. Phys. **169** (1995) 501–520.

[Ov] A. Overbay, *Perturbative Expansion of the Colored Jones Polynomial*, University of North Carolina PhD thesis, $\omega\epsilon\beta$ /Ov.

[Ro1] L. Rozansky, *A contribution of the trivial flat connection to the Jones polynomial and Witten’s invariant of 3d manifolds, I*, Comm. Math. Phys. **175-2** (1996) 275–296, arXiv:hep-th/9401061.

[Ro2] L. Rozansky, *The Universal R-Matrix, Burau Representation and the Melvin-Morton Expansion of the Colored Jones Polynomial*, Adv. Math. **134-1** (1998) 1–31, arXiv:q-alg/9604005.

[Ro3] L. Rozansky, *A Universal U(1)-RCC Invariant of Links and Rationality Conjecture*, arXiv:math/0201139.

[Se] P. Ševera, *Quantization of Lie Bialgebras Revisited*, Sel. Math., NS, to appear, arXiv:1401.6164.

diagram	n_k^a Alexander’s A_+ Today’s / Rozansky’s ρ_1^+	genus / ribbon unknotting number / amphicheiral	diagram	n_k^a Alexander’s A_+ Today’s / Rozansky’s ρ_1^+	genus / ribbon unknotting number / amphicheiral
	0_1^a 1 0	0 / ✓ 0 / ✓		3_1^a $t - 1$ t	1 / ✗ 1 / ✗
	4_1^a $3 - t$ 0	1 / ✗ 1 / ✓		5_1^a $t^2 - t + 1$ $2t^3 + 3t$	2 / ✗ 2 / ✗
	5_2^a $2t - 3$ $5t - 4$	1 / ✗ 1 / ✗		6_1^a $5 - 2t$ $t - 4$	1 / ✓ 1 / ✗
	6_2^a $-t^2 + 3t - 3$ $t^3 - 4t^2 + 4t - 4$	2 / ✗ 1 / ✗		6_3^a $t^2 - 3t + 5$ 0	2 / ✗ 1 / ✓
	7_1^a $t^3 - t^2 + t - 1$ $3t^5 + 5t^3 + 6t$	3 / ✗ 3 / ✗		7_2^a $3t - 5$ $14t - 16$	1 / ✗ 1 / ✗
	7_3^a $2t^2 - 3t + 3$ $-9t^3 + 8t^2 - 16t + 12$	2 / ✗ 2 / ✗		7_4^a $4t - 7$ $32 - 24t$	1 / ✗ 2 / ✗
	7_5^a $2t^2 - 4t + 5$ $9t^3 - 16t^2 + 29t - 28$	2 / ✗ 2 / ✗		7_6^a $-t^2 + 5t - 7$ $t^3 - 8t^2 + 19t - 20$	2 / ✗ 1 / ✗
	7_7^a $t^2 - 5t + 9$ $8 - 3t$	2 / ✗ 1 / ✗		8_1^a $7 - 3t$ $5t - 16$	1 / ✗ 1 / ✗
	8_2^a $-t^3 + 3t^2 - 3t + 3$ $2t^5 - 8t^4 + 10t^3 - 12t^2 + 13t - 12$	3 / ✗ 2 / ✗		8_3^a $9 - 4t$ 0	1 / ✗ 2 / ✓
	8_4^a $-2t^2 + 5t - 5$ $3t^3 - 8t^2 + 6t - 4$	2 / ✗ 2 / ✗		8_5^a $-t^3 + 3t^2 - 4t + 5$ $-2t^5 + 8t^4 - 13t^3 + 20t^2 - 22t + 24$	3 / ✗ 2 / ✗
	8_6^a $-2t^2 + 6t - 7$ $5t^3 - 20t^2 + 28t - 32$	2 / ✗ 2 / ✗		8_7^a $t^3 - 3t^2 + 5t - 5$ $-t^5 + 4t^4 - 10t^3 + 12t^2 - 13t + 12$	3 / ✗ 1 / ✗
	8_8^a $2t^2 - 6t + 9$ $-t^3 + 4t^2 - 12t + 16$	2 / ✓ 2 / ✗		8_9^a $-t^3 + 3t^2 - 5t + 7$ 0	3 / ✓ 1 / ✓
	8_{10}^a $t^3 - 3t^2 + 6t - 7$ $-t^5 + 4t^4 - 11t^3 + 16t^2 - 21t + 20$	3 / ✗ 2 / ✗		8_{11}^a $-2t^2 + 7t - 9$ $5t^3 - 24t^2 + 39t - 44$	2 / ✗ 1 / ✗
	8_{12}^a $t^2 - 7t + 13$ 0	2 / ✗ 2 / ✓		8_{13}^a $2t^2 - 7t + 11$ $-t^3 + 4t^2 - 14t + 20$	2 / ✗ 1 / ✗
	8_{14}^a $-2t^2 + 8t - 11$ $5t^3 - 28t^2 + 57t - 68$	2 / ✗ 1 / ✗		8_{15}^a $3t^2 - 8t + 11$ $21t^3 - 64t^2 + 120t - 140$	2 / ✗ 2 / ✗
	8_{16}^a $t^3 - 4t^2 + 8t - 9$ $t^5 - 6t^4 + 17t^3 - 28t^2 + 35t - 36$	3 / ✗ 2 / ✗		8_{17}^a $-t^3 + 4t^2 - 8t + 11$ 0	3 / ✗ 1 / ✓
	8_{18}^a $-t^3 + 5t^2 - 10t + 13$ 0	3 / ✗ 2 / ✓		8_{19}^a $t^3 - t^2 + 1$ $-3t^5 - 4t^2 - 3t$	3 / ✗ 3 / ✗
	8_{20}^a $t^2 - 2t + 3$ $4t - 4$	2 / ✓ 1 / ✗		8_{21}^a $-t^2 + 4t - 5$ $t^3 - 8t^2 + 16t - 20$	2 / ✗ 1 / ✗

This is <http://www.math.toronto.edu/~drorbn/Talks/MIT-1612/>. Better videos at .../Indiana-1611/, .../LesDiablerets-1608/