

Footnotes

1. Following a homonymous paper and thesis by Peter Lee [Lee]. All serious work here is his and was extremely patiently explained by him to DBN. Page design by the latter.
2. The proof presented here is broken. Specifically, at the very end of the proof of the “general case” of Proposition 1 the sum that makes up $\ker \pi_{p-1}$ is interchanged with μ_F^{-1} . This is invalid; in general it is not true that $T^{-1}(U + V) = T^{-1}(U) + T^{-1}(V)$, when T is a linear transformation and U and V are subspaces of its target space. We thank Alexander Polishchuk for noting this gap. A handwritten non-detailed fix can be found at <http://katlas.math.toronto.edu/drorbn/AcademicPensieve/Projects/Quadraticity/>, especially under “Oregon Handout Post Mortem”. A fuller fix will be made available at a later time.

References

- [AT] A. Alekseev and C. Torossian, *The Kashiwara-Vergne conjecture and Drinfeld’s associators*, arXiv:0802.4300.
- [BN1] D. Bar-Natan, *On the Vassiliev knot invariants*, *Topology* **34** (1995) 423–472.
- [BN2] D. Bar-Natan, *Facts and Dreams About v-Knots and Etingof-Kazhdan*, talk presented at the Swiss Knots 2011 conference. Video and more at <http://www.math.toronto.edu/~drorbn/Talks/SwissKnots-1105/>.
- [BN3] D. Bar-Natan, *Finite Type Invariants of W-Knotted Objects: From Alexander to Kashiwara and Vergne*, paper and related files at <http://www.math.toronto.edu/~drorbn/papers/WK0/>.
- [BND] D. Bar-Natan, and Z. Dancso, *Homomorphic Expansions for Knotted Trivalent Graphs*, arXiv:1103.1896.
- [BEER] L. Bartholdi, B. Enriquez, P. Etingof, and E. Rains, *Groups and Lie algebras corresponding to the Yang-Baxter equations*, *Journal of Algebra* **305-2** (2006) 742–764, arXiv:math.RA/0509661.
- [Dri] V. G. Drinfel’d, *Quasi-Hopf Algebras*, *Leningrad Math. J.* **1** (1990) 1419–1457 and *On Quasitriangular Quasi-Hopf Algebras and a Group Closely Connected with $Gal(\bar{\mathbb{Q}}/\mathbb{Q})$* , *Leningrad Math. J.* **2** (1991) 829–860.
- [EK] P. Etingof and D. Kazhdan, *Quantization of Lie Bialgebras, I*, *Selecta Mathematica, New Series* **2** (1996) 1–41, arXiv:q-alg/9506005, and *Quantization of Lie Bialgebras, II*, *Selecta Mathematica, New Series* **4** (1998) 213–231, arXiv:q-alg/9701038.
- [GPV] M. Goussarov, M. Polyak, and O. Viro, *Finite type invariants of classical and virtual knots*, *Topology* **39** (2000) 1045–1068, arXiv:math.GT/9810073.
- [Hav] A. Haviv, *Towards a diagrammatic analogue of the Reshetikhin-Turaev link invariants*, Hebrew University PhD thesis, September 2002, arXiv:math.QA/0211031.
- [Hut] M. Hutchings, *Integration of singular braid invariants and graph cohomology*, *Transactions of the AMS* **350** (1998) 1791–1809.
- [KV] M. Kashiwara and M. Vergne, *The Campbell-Hausdorff Formula and Invariant Hyperfunctions*, *Invent. Math.* **47** (1978) 249–272.
- [Kau] L. H. Kauffman, *Virtual Knot Theory*, *European J. Comb.* **20** (1999) 663–690, arXiv:math.GT/9811028.
- [KL] L. H. Kauffman and S. Lambropoulou, *Virtual Braids*, *Fundamenta Mathematicae* **184** (2005) 159–186, arXiv:math.GT/0407349.
- [Koh] T. Kohno, *Monodromy representations of braid groups and Yang-Baxter equations*, *Ann. Inst. Fourier* **37** (1987) 139–160.
- [Lee] P. Lee, *The Pure Virtual Braid Group is Quadratic*, in preparation. See links at <http://www.math.toronto.edu/drorbn/Talks/Oregon-1108/>.