

Footnotes

1. I probably mean “a functor from some fixed “structure multi-category” to the multi-category of sets, extended to formal linear combinations”.
2. A Leibniz algebra is a Lie algebra minus the anti-symmetry of the bracket; I have previously erroneously asserted that here $\mathcal{A}(K)$ is Lie; however see the comment by Conant attached to this talk’s video page.
3. See my paper [BN1] and my talk/handout/video [BN3].
4. See [BN5] and my talk/handout/video [BN4].
5. Not so old and not quite written up. Yet see [BN2].

References

- [AT] A. Alekseev and C. Torossian, *The Kashiwara-Vergne conjecture and Drinfeld’s associators*, arXiv:0802.4300.
- [AET] A. Alekseev, B. Enriquez, and C. Torossian, *Drinfeld associators, Braid groups and explicit solutions of the Kashiwara-Vergne equations*, Pub. Math. de L’IHES **112-1** (2010) 143–189, arXiv:arXiv:0903.4067.
- [BEER] L. Bartholdi, B. Enriquez, P. Etingof, and E. Rains, *Groups and Lie algebras corresponding to the Yang-Baxter equations*, Journal of Algebra **305-2** (2006) 742–764, arXiv:math.RA/0509661.
- [BN1] D. Bar-Natan, *On Associators and the Grothendieck-Teichmüller Group I*, Selecta Mathematica, New Series **4** (1998) 183–212.
- [BN2] D. Bar-Natan, *Algebraic Knot Theory — A Call for Action*, web document, 2006, <http://www.math.toronto.edu/~drorbn/papers/AKT-CFA.html>.
- [BN3] D. Bar-Natan, *Braids and the Grothendieck-Teichmüller Group*, talk given in Toronto on January 10, 2011, <http://www.math.toronto.edu/~drorbn/Talks/Toronto-110110/>.
- [BN4] D. Bar-Natan, *From the $ax + b$ Lie Algebra to the Alexander Polynomial and Beyond*, talk given in Chicago on September 11, 2010, <http://www.math.toronto.edu/~drorbn/Talks/Chicago-1009/>.
- [BN5] D. Bar-Natan, *Finite Type Invariants of w -Knotted Objects: From Alexander to Kashiwara and Vergne*, in preparation, online at <http://www.math.toronto.edu/~drorbn/papers/WK0/>.
- [Dr1,2] V. G. Drinfel’d, *Quasi-Hopf Algebras*, Leningrad Math. J. **1** (1990) 1419–1457 and *On Quasitriangular Quasi-Hopf Algebras and a Group Closely Connected with $\text{Gal}(\bar{\mathbb{Q}}/\mathbb{Q})$* , Leningrad Math. J. **2** (1991) 829–860.
- [EK] P. Etingof and D. Kazhdan, *Quantization of Lie Bialgebras, I*, Selecta Mathematica, New Series **2** (1996) 1–41, arXiv:q-alg/9506005.
- [Ha] A. Haviv, *Towards a diagrammatic analogue of the Reshetikhin-Turaev link invariants*, Hebrew University PhD thesis, September 2002, arXiv:math.QA/0211031.
- [KV] M. Kashiwara and M. Vergne, *The Campbell-Hausdorff Formula and Invariant Hyperfunctions*, Invent. Math. **47** (1978) 249–272.
- [Lee] P. Lee, *The Pure Virtual Braid Group is Quadratic*, in preparation.
- [Po] M. Polyak, *On the Algebra of Arrow Diagrams*, Let. Math. Phys. **51** (2000) 275–291.
- [Th] D. P. Thurston, *The Algebra of Knotted Trivalent Graphs and Turaev’s Shadow World*, Geometry & Topology Monographs **4** (2002) 337–362, arXiv:math.GT/0311458.

Plan

1. (8 minutes) The Peter Lee setup for (K, I) , “all interesting graded equations arise in this way”.
2. (3 minutes) Example: the pure braid group (mention PvB , too).
3. (3 minutes) Generalized algebraic structures.
4. (1 minute) Example: quandles.
5. (4 minutes) Example: parenthesized braids and horizontal associators.
6. (6 minutes) Example: KTGs and non-horizontal associators. (“Bracket rise” arises here).
7. (8 minutes) Example: wKO ’s and the Kashiwara-Vergne equations.
8. (12 minutes) vKO ’s, bi-algebras, E-K, what would it mean to find an expansion, why I care (stronger invariant, more interesting quotients).
9. (5 minutes) wKO ’s, uKO ’s, and Alekseev-Enriquez-Torossian.