## MAT344 Problem Set 9 (due 1pm July 30)

**Note:** For all the questions, always *explain your reasoning* and refer to the results you are using. Just a number (even if it is the correct final answer) will **not** get you full credit.

## Part A

In these problems, you will analyze a counting problem by proving an exact or approximate enumeration. Two of these problems will be marked.

**Problem 1.** Consider the recurrence relation  $r_{n+2} = r_{n+1} + 3r_n$ .

- 1. What is the general solution to the recurrence relation?
- 2. Provide a closed-form solution to the recurrence relation when  $r_0 = 1$  and  $r_2 = 5$  (note that we specified  $r_2$  but not  $r_1$ ).

Problem 2. Find the general solution of the nonhomogeneous advancement operator equation

$$(A-5)(A+2)f(n) = 3^n$$

**Problem 3.** Find the general solution of the advancement operator equation

$$(A^3 + 3A^2 + 3A + 1)f(n) = 0.$$

**Problem 4.** Use generating functions to solve the recurrence equation

$$r_n = 5r_{n-1} - 6r_{n-2}$$

with  $r_0 = 1, r_1 = 6$ .

## Part B

In these problems, you will select and justify appropriate tools to analyze a counting problem and analyze a counting problem by proving an exact or approximate enumeration. Two of these problems will be marked.

**Problem 5.** Let  $t_n$  denote the number of ways to tile a  $2 \times n$  rectangle using  $1 \times 1$  tiles and *L*-tiles. *L* tiles are  $2 \times 2$  tiles with one of the squares missing. Figure 1 shows the *L* tiles in all possible rotations.



Figure 1: The  $1 \times 1$  tile and *L*-tiles

- 1. Find a recursive formula for  $t_n$ , including the appropriate initial conditions. **Hint**: there are 7 cases you need to consider to reduce a  $2 \times n$  rectangle to a smaller rectangle, and 3 initial conditions.
- 2. Find a closed formula for  $t_n$ .

**Problem 6.** There is a famous puzzle called the Towers of Hanoi that consists of three pegs and n circular disks, all of different sizes. The disks start on the leftmost peg, with the largest disk on the bottom, the second largest on top of it, and so on, up to the smallest disk on top. The goal is to move the disks so that they are stacked in this same order on the rightmost peg. However, you are allowed to move only one disk at a time, and you are never able to place a larger disk on top of a smaller disk. Let  $t_n$  denote the fewest moves (a move being taking a disk from one peg and placing it onto another) in which you can accomplish the goal. Determine an explicit formula for  $t_n$ .

Problem 7. Consider the recurrence

$$d_n = nd_{n-1} + (-1)^n.$$

Let  $d(x) = \sum_{n=0}^{\infty} d_n \frac{x^n}{n!}$  be the exponential generating function for  $d_n$ .

- 1. Find the exponential generating functions for the following sequences
  - (a)  $nd_{n-1}$  (**Hint:** Try xd(x)),
  - (b)  $(-1)^n$ ,
  - (c) *n*!.
- 2. Use the recurrence to prove that  $d(x) = \frac{e^{-x}}{1-x}$ .
- 3. Find the coefficient of  $\frac{x^n}{n!}$  in d(x). Do you recognize this number?

## Part C

In this problem, you will construct counting problems which show the usefulness or limitations of combinatorial tools. This problem will be marked for completeness only.

**Problem 8.** Describe a recurrence that has a closed form solution you can find using tools of this chapter.