

DIFFERENTIATION RULES

October 22nd, 2018

For next lecture


For Wednesday (Oct 24), watch the video:

- The chain rule: 3.10

A continuity lemma

Write a formal proof for:

Lemma

Let $a \in \mathbb{R}$.Let g be a function continuous at a .If $g(a) \neq 0$ then $g(x) \neq 0$ for x close to a .First, figure out what “ $g(x) \neq 0$ for x close to a ” means.

Write a formal proof for the quotient rule for derivatives

Theorem

- Let $a \in \mathbb{R}$.
- Let f and g be functions defined at and near a . Assume $g(a) \neq 0$.
- We define the function h by $h(x) = \frac{f(x)}{g(x)}$.

IF f and g are differentiable at a ,THEN h is differentiable at a , and

$$h'(a) = \frac{f'(a)g(a) - f(a)g'(a)}{g(a)^2}.$$

Write a proof directly from the definition of derivative.

Hint: remember the proof of the product rule in video 3.6.

Compute the derivative of the following functions:

① $f(x) = x^{100} + 3x^{30} - 2x^{15}$

④ $f(x) = \sqrt{x}(1 + 2x)$

② $f(x) = \sqrt[3]{x} + 6$

⑤ $f(x) = \frac{x^6 + 1}{x^3}$

③ $f(x) = \frac{4}{x^4}$

⑥ $f(x) = \frac{x^2 - 2}{x^2 + 2}$