
THE FUNDAMENTAL THEOREM OF CALCULUS
PART 2



UNIVERSITY OF
TORONTO

January 23rd, 2019

For next week

For Monday (Jan 28), watch the videos:

- Integration by parts: (9.5), 9.6, (9.7), (9.8), (9.9)

For Wednesday (Jan 30), watch the videos:

- Integration of trig functions: 9.10, (9.11), (9.12)
- Integration of rational functions: 9.15, (9.16), (9.17)

What is wrong?

Let $f(x) = \frac{1}{x^4}$ and $F(x) = -\frac{1}{3x^3}$.

Notice that $F' = f$.

Hence, according to FTC-2, we have

$$\int_{-1}^1 \frac{1}{x^4} dx = \left. \frac{-1}{3x^3} \right|_{-1}^1 = -\frac{2}{3}$$

However, x^4 is always positive and $-1 < 1$, so the integral should be positive.

Definite integrals

Justify that the following integrals are well defined and compute them:

$$\textcircled{1} \int_1^2 x^3 dx$$

$$\textcircled{2} \int_0^1 [e^x + e^{-x} - \cos(2x)] dx$$

$$\textcircled{3} \int_{1/2}^{1/\sqrt{2}} \frac{4}{\sqrt{1-x^2}} dx$$

$$\textcircled{4} \int_{\pi/4}^{\pi/3} \sec^2 x dx$$

$$\textcircled{5} \int_1^2 \left[\frac{d}{dx} \left(\frac{\sin^2 x}{1 + \arctan^2 x + e^{-x^2}} \right) \right] dx$$

Compute the following limits

$$\textcircled{1} \lim_{n \rightarrow +\infty} \frac{1}{n} \sum_{k=1}^n \tan \frac{k}{n}$$

$$\textcircled{2} \lim_{n \rightarrow +\infty} \sum_{k=1}^n \frac{n}{n^2 + k^2}$$

$$\textcircled{3} \lim_{n \rightarrow +\infty} \prod_{k=1}^n \left(1 + \frac{k}{n}\right)^{\frac{1}{n}}$$

Hints:

- $\frac{d}{dx} (-\ln |\cos(x)|) = \tan(x)$
- $\frac{d}{dx} (x \ln(x) - x) = \ln(x)$

Compute the area of the bounded region
between $y = \frac{x^2}{2}$ and $y = \frac{1}{1+x^2}$.